

interfit

Foldable Softboxes

Instruction Manual

UK

Interfit Photographic Ltd.
Unit 4, Cleton Business Park,
Cleton Street,
Tipton,
West Midlands
DY4 7TR

+44 (0) 121 522 4800
sales@interfitphotographic.com

USA

Interfit Photographic Ltd.
420 Industrial Court West
Villa Rica, GA 30180

1-866-947-9796
customerservice@interfitphotographicusa.com

www.interfitphotographic.com



interfitphotographic



@interfitphoto



Interfit Photographic



Attention

- To prevent damage to your light and/or softbox or injury to you or to others, please read the following safety precautions in their entirety before using the equipment. Keep these safety instructions where all those who use this equipment will read them.
- Store softboxes in a cool and dry environment. Prolonged exposure to moisture and high temperatures can damage the softbox.
- The Interfit Foldable Softboxes are NOT suitable for use with tungsten lighting. Prolonged exposure to high temperatures can damage your softbox and light.
- Softbox and diffusers can be cleaned with cold water and mild detergent. Do not place softbox or diffusers in a washing machine. Air dry only.

Dimensions

INT770 & INT775	90cm (36") Square
INT771 & INT776	80cm (32") x 120cm (48") Rectangle
INT772 & INT777	30cm (12") x 150cm (59") Stripbank
INT773 & INT778	110cm (44") Octobox
INT780 & INT782	70cm (28") White Beauty Dish
INT781 & INT783	100cm (40") White Beauty Dish

Name of Parts


Dimpled Silver Lining

Inner Speed Ring

Fiberglass Rod

Thumb Tab

Rod Joint



Inner Diffuser Baffle

Outer Diffuser



Assembly

Loosen the drawstring and remove softbox from the Nylon Carry Bag.



Align the mounts on the softbox with the mounts on your light. Attach the softbox and rotate clockwise to lock into place.



Gently pull the corners out away from each other. Notice the softbox begin to take shape.



With your thumb, push gently on the white thumb tab until the rods snap into place. Repeat this process for all remaining sides.



To attach the inner diffuser, align the corners of the diffuser with the corners of the softbox and attach via the Velcro tabs.



To attach the outer diffuser, align the corners of the diffuser with the corners of the softbox and slip the diffuser over the edge of the box.

